

[Homepage](#) | [Advanced Search](#)

Search using:

[Google](#)[Ask Jeeves](#)**CUSTOM WEB FILTERS**[Tools](#) | [HotBot Skins](#)Date: **Before May 1999** [ [Edit this Search](#) ]

SPONSORED LINKS (filters not applied)

- **Unicode at Shopping.com!**

Find, compare and buy Education and Reference Software and other Computer Software prod Shopping.com. Read product reviews and compare prices...

[www.shopping.com/xGS-Unicode~NS-1~I](http://www.shopping.com/xGS-Unicode~NS-1~I)

- **ITC Fonts**

International Typeface Corporation collaborates with world-class designers to provide more th classic TrueType and PostScript fonts for Macintosh and Windows.

[www.itcfonts.com/default.asp?GTSE=F](http://www.itcfonts.com/default.asp?GTSE=F)

**WEB RESULTS by Google** (Showing Results 1 - 10 of 10,300)

1. **Unicode Transformation Formats**

**Unicode** Transformation Formats: UTF-8 & Co. The ISO 10646 Universal Character ... Java's **Un** Notation. There are some less compact ...

[czyborra.com/utf/](http://czyborra.com/utf/) - 58 KB

2. **The Unicode Standard(s)**

What document(s) define(d) the **Unicode** standard? The Players. Unicode's character set is def parallel by two co-operating bodies: ... **Unicode** 1.0. ...

[czyborra.com/unicode/standard.html](http://czyborra.com/unicode/standard.html) - 7 KB

3. **TrueType and Unicode**

... Printable ASCII codes are thus represented by U+0020 (space) to U+007E (tilde). **Unicode** i TrueType ... **Unicode**. **Unicode** Fonts? ...

[www.truetype.demon.co.uk/unicode.htm](http://www.truetype.demon.co.uk/unicode.htm) - 7 KB

4. **untitled**

[www.phon.ucl.ac.uk/home/wells/lsansuni.ttf](http://www.phon.ucl.ac.uk/home/wells/lsansuni.ttf) - 0 B

5. **UCS-2 Encoding Form**

UCS-2 Encoding Form. **Unicode** characters are normally encoded using 16-bit integral unsigned Copyright © 1994 **Unicode**, Inc.

[www.uazone.com/multiling/unicode/ucs2.html](http://www.uazone.com/multiling/unicode/ucs2.html) - 4 KB

6. **UCS Transformation Format 16 (UTF-16)**

... reserved, and would never be mapped. [Top]. Original document is located at <http://www.stonehand.com/unicode/standard/utf16.html>.

[www.uazone.com/multiling/unicode/wg2n1035.html](http://www.uazone.com/multiling/unicode/wg2n1035.html) - 20 KB

7. **UNICODE: A UNIVERSAL CHARACTER CODE By Jürgen Bettels and F. ...**

**UNICODE: A UNIVERSAL CHARACTER CODE** By Jürgen Bettels and F. Avery Bishop ABSTRACT character encoding is required to produce software that can be ...

[research.compaq.com/wrl/DECarchives/DTJ/DTJB02/DTJB02SC.TXT](http://research.compaq.com/wrl/DECarchives/DTJ/DTJB02/DTJB02SC.TXT) - 47 KB

8. **Unicode Ate My Brain**

**Unicode** Ate My Brain. ... Be warned that my understanding of **Unicode** and UTF is cursory at b rely on anything you read here. ...

#### 9. Thai Unicode Test

... So Khmer is not in MS Arial **Unicode** (even when the Font is set to Arial **Unicode** - see below Greek) ... So they are not in the MS Arial **Unicode** font). ...

www.seasite.niu.edu/jimstest/thai\_unicode\_test.htm - 4 KB

#### 10. Frequently Asked Questions About Fonts - Unicode

Go to the previous, next chapter. **Unicode**. ... someday...I'll get to reorganize the whole thing].

**Unicode**? Charles A. Bigelow notes: ...

nwalsh.com/comp.fonts/FAQ/cf\_23.htm - 7 KB

---

« **Previous** | **Next** »

---

Search for "**unicode**" using: [Ask Jeeves](#)

---

[Advertise](#) | [Help](#) | [Text-only Skin](#) | [Submit Site](#) | [HotBot International](#) | [Yellow Pages](#)

© [Copyright](#) 2005, Lycos, Inc. All Rights Reserved. | [Privacy Policy](#) | [Terms & Conditions](#) | [HotBot Your Site](#)

---



unicode internet explorer

[Homepage](#) | [Advanced Search](#)

Search using:

[Google](#)

[Ask Jeeves](#)

**CUSTOM WEB FILTERS**

[Tools](#) | [HotBot Skins](#)

Date: **Before May 1999** [ [Edit this Search](#) ]

SPONSORED LINKS (filters not applied)

- **Internet Explorer**

Download **internet explorer** now. Instant access to latest version.  
[www.freedownloadzone.com](http://www.freedownloadzone.com)

**WEB RESULTS by Google** (Showing Results 1 - 10 of 2,260)

1. i18n/i10n: charsets in Microsoft **Internet Explorer** 4

... Universal Alphabet, **unicode**, 1200, 4, Charset name is ... only in the "Complex Script" versio  
**Internet Explorer**. ... DLL is the charset translation library inside IE. ...  
[www.w3.org/International/O-charset-ms.html](http://www.w3.org/International/O-charset-ms.html) - 14 KB

2. One view of the transport problem

... Whois++ already uses **UNICODE** (ie the UTF-8 encoding) and the part of the server we have  
which handles **UNICODE** will be freely available as fast as we ...  
[www.sandelman.ottawa.on.ca/spki/html/1996/winter/msg00062.html](http://www.sandelman.ottawa.on.ca/spki/html/1996/winter/msg00062.html) - 5 KB

3. LoteIT: Windows95

... the Chinese language modules, then the Chinese fonts you use with IE 4.0 will ... Twinbridge  
**unicode** fonts for use with **Internet Explorer** and Netscape ...  
[www.yarranet.net.au/aceweb/lote/br\\_w95/zh.html](http://www.yarranet.net.au/aceweb/lote/br_w95/zh.html) - 5 KB

4. readme-e

... homepage to : <http://www.microsoft.com/ie/> 2. Choose ... 3. Choose your operating system a  
"**Internet Explorer** 4.0 Addons ... [**Unicode** Fonts, AsiaSurf], DynaLab Inc. ...  
[www.est.co.jp/ks/dish/9910wfcd/readme-e.htm](http://www.est.co.jp/ks/dish/9910wfcd/readme-e.htm) - 14 KB

5. &KLQHVH QIRUPDWLRQ \$FFHVV DQG SHWULHYDO

... 699 characters cannot be converted, ie.11%. ... x Word (single byte, double bytes, **Unicode**  
Windows or Mac) ... x Office and **Internet** applications ...  
[library.ust.hk/scip/papers/lam.pdf](http://library.ust.hk/scip/papers/lam.pdf) - 0 B

6. Multilingual Library Era

... Only in Library - Endorsed by **Unicode** Endorsed by ANSI Consortium ... application including  
Navigator and **Internet Explorer** - Efficient Processing ...  
[library.ust.hk/scip/papers/chong.pdf](http://library.ust.hk/scip/papers/chong.pdf) - 0 B

7. **Unicode** character entities: Arrows

... **Unicode** Position, Description, Entity Number, HTML Result, Standards/ Browser Support, En  
Carriage return symbol, &#8629; ?, 2 | 3 | 3.2 | 4 | IE | M ...  
[jeffcovey.net/web/html/reference/html/tagpages/entities/arrow.htm](http://jeffcovey.net/web/html/reference/html/tagpages/entities/arrow.htm) - 14 KB

8. Weblint 97, Version 0.12 -- an internationalized HTML checker ...

... of HTML files encoded in **Unicode**, WITHOUT displaying ... DOCTYPE HTML PUBLIC "-//Microso  
**Internet Explorer** 2.0 HTML ... x Microsoft" option recognizes IE \_3. ...  
[web.sfc.keio.ac.jp/~mimasa/jweblint/README-97.txt](http://web.sfc.keio.ac.jp/~mimasa/jweblint/README-97.txt) - 12 KB

9. b2 - a classy weblog tool :: b2 rss goes **unicode**

... I was bored with IE's inability to display b2.rss because of &eacute; chocking, so now everyth  
an usual character gets converted to **unicode**. ...  
[cafelog.com/index.php?p=379&c=1](http://cafelog.com/index.php?p=379&c=1) - 101 KB

10. Twelfth International **Unicode** Conference - Conference Program

... Session A14: 2:10 pm - 2:50 pm **Internet Explorer** Internationalization Takao Suzuki, Prog  
... and how to apply JIS X-4051-1995 to **Unicode** Michel Suignard ...  
[xml.coverpages.org/unicode12Prog980229.html](http://xml.coverpages.org/unicode12Prog980229.html) - 29 KB

---

[Advertise](#) | [Help](#) | [Text-only Skin](#) | [Submit Site](#) | [HotBot International](#) | [Yellow Pages](#)

© [Copyright](#) 2005, Lycos, Inc. All Rights Reserved. | [Privacy Policy](#) | [Terms & Conditions](#) | [HotBot Your Site](#)

---



unicode internet explorer 6 utf-16

[Homepage](#) | [Advanced Search](#)

Search using:

[Google](#)

[Ask Jeeves](#)

**CUSTOM WEB FILTERS**

[Tools](#) | [HotBot Skins](#)

Date: **Before January 2001** [ [Edit this Search](#) ]

SPONSORED LINKS (filters not applied)

- **Free Internet Browsers**

Get the newest version of **Internet Explorer** and other free browsers.  
[www.windowsdownloads.com](http://www.windowsdownloads.com)

- **Internet Explorer**

Download **internet explorer** now. Instant access to latest version.  
[www.freedownloadzone.com](http://www.freedownloadzone.com)

- **Fix Internet Explorer 6**

**Internet Explorer** Diagnostic Tools Free Download Fix **Explorer** Now  
[www.internet-explorer-repair.com](http://www.internet-explorer-repair.com)

**WEB RESULTS by Google** (Showing Results 1 - 10 of 57)

1. **Unicode and MacOS, and Code converters**

... The web-browsers, such as **Internet Explorer** and Netscape Communicator, seem to ... **UNI**  
**UNICODE-2-0-UTF-7; UTF-8; ISO ... ISO-8859-2; ISO-8859-5; ISO-8859-6; ISO- ...**  
[www.bekkoame.ne.jp/~n-iyana/researchTools/unicodeandmacos.html](http://www.bekkoame.ne.jp/~n-iyana/researchTools/unicodeandmacos.html) - 28 KB

2. **Chinese XML FAQ 1.0**

... W3C RDF (Resource Description Framework); Microsoft's **Internet Explorer** "Channels" uses  
I use Chinese element ... must support **UTF-8** and **UTF-16 (Unicode)**. ...  
[xml.ascc.net/en/utf-8/faq/faq-xsl2.html](http://xml.ascc.net/en/utf-8/faq/faq-xsl2.html) - 47 KB

3. **Chinese XML FAQ**

... RDF (Resource Description Framework); Microsoft's **Internet Explorer** "Channels" uses ... **6**.  
Chinese element names ... must support **UTF-8** and **UTF-16 (Unicode)**. ...  
[xml.ascc.net/en/utf-8/faq.html](http://xml.ascc.net/en/utf-8/faq.html) - 32 KB

4. **Appendix B**

... of UCS; characters stored in 1 to **6** bytes), with ... browsers, such as Netscape Navigator 4 and  
**Explorer 4**, can ... do not come with built-in **Unicode** fonts. ...  
[www.utoronto.ca/ian/books/xhtml2/appb/appb.html](http://www.utoronto.ca/ian/books/xhtml2/appb/appb.html) - 39 KB

5. **All About ISOC: Conferences - INET**

... many languages simultaneously; and **Explorer** from Microsoft ... The **Unicode** standard prov  
directional display ... The two most important **Internet** applications, e ...  
[www.isoc.org/inet98/proceedings/5f/5f\\_1.htm](http://www.isoc.org/inet98/proceedings/5f/5f_1.htm) - 42 KB

6. **Options for Presentation of Multilingual Text**

... Microsoft's browser, **Internet Explorer**, and Netscape Navigator 3.0 have ... (35) It allows tr  
of **Unicode** text through ... of 1, 2, 3, 4, 5, and **6** octets; the ...  
[xml.coverpages.org/ericksonUnicode.html](http://xml.coverpages.org/ericksonUnicode.html) - 97 KB

7. **AEIfred, Version 1.1 Microstar's Java-Based XML Parser From: &lt;a .....**

... **Explorer 3** (Windows NT), and **Internet Explorer 4** (Windows ... **6**. AEIfred must produce co  
for well ... STATUS: AEIfred supports **Unicode** to the fullest extent ...  
[xml.coverpages.org/aelfred11README.txt](http://xml.coverpages.org/aelfred11README.txt) - 21 KB

#### 8. Hangul & Internet in Korea (main part 2/4)

... 5(Mac Hangul environment) and Subject **6**(Unix Hangul ... is set to Korean(rather than **Unico** Format(O ... such as those included in MS **Internet Explorer** 4.0(OutLook ...  
[www.cs.uu.nl/wais/html/na-dir/cultures/korea/hangul-internet/part2.html](http://www.cs.uu.nl/wais/html/na-dir/cultures/korea/hangul-internet/part2.html) - 101 KB

#### 9. 19990309

The summary for this Japanese page contains characters that cannot be correctly displayed in t language/character set.

[www.l.u-tokyo.ac.jp/~sat/resources/19990309/](http://www.l.u-tokyo.ac.jp/~sat/resources/19990309/) - 19 KB

#### 10. Well-Formed XML

... If you have **Internet Explorer** 5 installed on your machine, type the following into Notepad, to ... (Navigate to the file in **Explorer** and double ... Page **6**. ...

[www.xmleverywhere.com/wrox/3412/3412\\_02.pdf](http://www.xmleverywhere.com/wrox/3412/3412_02.pdf) - 0 B

---

« [Previous](#) | [Next](#) »

---

Search for "**unicode internet explorer 6 utf-16**" using: [Ask Jeeves](#)

---

[Advertise](#) | [Help](#) | [Text-only Skin](#) | [Submit Site](#) | [HotBot International](#) | [Yellow Pages](#)

© [Copyright](#) 2005, Lycos, Inc. All Rights Reserved. | [Privacy Policy](#) | [Terms & Conditions](#) | [HotBot Your Site](#)

---



unicode internet explorer fffe

[Homepage](#) | [Advanced Search](#)

Search using:

[Google](#)

[Ask Jeeves](#)

**CUSTOM WEB FILTERS**

[Tools](#) | [HotBot Skins](#)

Date: **Before January 2001** [ [Edit this Search](#) ]

SPONSORED LINKS (filters not applied)

- **Internet Explorer**

Download **internet explorer** now. Instant access to latest version.  
[www.freedownloadzone.com](http://www.freedownloadzone.com)

**WEB RESULTS by Google** (Showing Results 1 - 10 of 69)

1. [Guide to the use of Character Sets in Europe](#)

... x 94 (ie 8836), or 96 x 96 (ie 9216), characters ... cells **FFFE** and **FFFF** are left unused; **FFFE** other is the commercially-developed UNICODE™, which was ...  
[anubis.dkuug.dk/CEN/TC304/guide/gucsch03.htm](http://anubis.dkuug.dk/CEN/TC304/guide/gucsch03.htm) - 11 KB

2. [Re: Proposal for 2 Byte Unicode implementation in gcc and glibc](#)

... Subject: Re: Proposal for 2 Byte **Unicode** implementation in ... type with 2\*\*16 values, ie typ Wide\_Character ... **FFFE**, **FFFF**); Ada gurus will remember that the value ...  
[mail.nl.linux.org/linux-utf8/2000-08/msg00056.html](http://mail.nl.linux.org/linux-utf8/2000-08/msg00056.html) - 6 KB

3. [Re: Character set tagging considered harmful](#)

... I'm not sure Vim will support **Unicode** soon, if ... configuration interprets &gt; 'A'+128 as Me emacs ... hundred-and-one symptoms of being an **internet** addict: 96 ...  
[mail.nl.linux.org/linux-utf8/1999-09/msg00081.html](http://mail.nl.linux.org/linux-utf8/1999-09/msg00081.html) - 14 KB

4. [SGML Declaration of HTML 4.0](#)

... Thus, a user-agent receiving an **FFFE** as the first ... Markup Language version 4.0 With suppo **Unicode** UCS-4 ... code values in each plane of UCS-4, ie all values ...  
[www.w3.org/TR/WD-html40-970917/sgml/sgmldecl.html](http://www.w3.org/TR/WD-html40-970917/sgml/sgmldecl.html) - 7 KB

5. [HTML Document Representation](#)

... the concept is largely the same across the **Internet**. ... encoding mostly depends on the tools editors ... with [ISO10646], Section 6.3 and [**UNICODE**], clause C3 ...  
[www.w3.org/TR/PR-html40-971107/charset.html](http://www.w3.org/TR/PR-html40-971107/charset.html) - 21 KB

6. [UTF-8 and Unicode FAQ](#)

... 16 surrogates) as well as U+**FFFE** and U ... FullWidth (F) width property in **Unicode** Technica for nonspacing or enclosing combining characters (ie, those with ...  
[ijstokes.paunix.org/unicode/unicode.html](http://ijstokes.paunix.org/unicode/unicode.html) - 76 KB

7. [Le standard Unicode](#)

... de l'ensemble US-ASCII (7 bit), ie 00-7F. ... Pratiquement, tout fichier **Unicode** créé à l'aide d (NT4.0) par exemple, commence donc par **FFFE**. ...  
[www.gms.lu/~fr\\_jap/unic\\_std.htm](http://www.gms.lu/~fr_jap/unic_std.htm) - 13 KB

8. [Class jp.kyasu.graphics.Text](#)

... This is a paragraph 3 containing an image \ **FFFE**.\n. ... representation is suitable for the text, line ... The comparison is based on the **Unicode** value of each ...  
[java.cs.vt.edu/dev/kfc/jp.kyasu.graphics.Text.html](http://java.cs.vt.edu/dev/kfc/jp.kyasu.graphics.Text.html) - 94 KB

9. [HM: Grundkonzepte](#)

... von Microsoft für Windows 95/IE oder Cyberbit ... Elektronisches Publizieren: Codes: **Unicode** MIME (Multipurpose **Internet** Mail Extensions) **Internet**-Standard ...  
[www11.informatik.tu-muenchen.de/~brueggem/Vorlesungen/ep2000Sommer/Folien/5.-08](http://www11.informatik.tu-muenchen.de/~brueggem/Vorlesungen/ep2000Sommer/Folien/5.-08)

## 10. SMART: Format of the Index Files

... identical to UCS-2, the most popular **Unicode** encoding for ... file begins with the byte order m followed by ... non-text) file consisting of long (ie four-byte ...  
[www.chibs.edu.tw/~chris/smart/smindex.htm](http://www.chibs.edu.tw/~chris/smart/smindex.htm) - 13 KB

---

« [Previous](#) | [Next](#) »

---

Search for "**unicode internet explorer fffe**" using: [Ask Jeeves](#)

---

[Advertise](#) | [Help](#) | [Text-only Skin](#) | [Submit Site](#) | [HotBot International](#) | [Yellow Pages](#)

© [Copyright](#) 2005, Lycos, Inc. All Rights Reserved. | [Privacy Policy](#) | [Terms & Conditions](#) | [HotBot Your Site](#)

---